# An Update: Overview of Pediatric Therapy Practice



**Judi Wessels** 

**Snr Occupational Therapist / Clinical Coordinator** 




Looking at the elephant





@ MARK ANDERSON, WWW.ANDERTOONS.COM



"I say it's nine and I say you need to teach the controversy!"






# ...so much to say ...so little time


# WHO ICF (2001)





### **Development:**





Adapted from Pyramid of Learning (Williams & Shellenberger, 1-4)







### **Development vs Diagnosis**

- a therapy perspective -

Diagnostics are of <u>significant importance</u> especially for the management of safety and secondary risks when working with a growing child...

however

should we wait for diagnosis

OR

should we start with therapy intervention and focus on current developmental delay

AND

therapy input may assist in the context within which diagnosis is made...

### Habilitation



### Rehabilitation vs Habilitation =

> the simple (adult) with significant motor/ cognitive/ social memory banks to work with

#### versus

- > the complex (child) where we are catching up AND building new skills at the <u>same</u> time
- capitalize on the advantage of <u>neuro-plasticity</u> and <u>normal physiological</u> <u>development</u>

Karen K. Yoshida, Hazel M., Rebecca M. Renwick, Laura L. Forma, Audrey J. King, and Leslie A. A value-based practice model of rehabilitation: consumers' recommendations in action. Disability & Rehabilitation. http://informahealthcare.com/dre

# Habilitation: Value Based Rehabilitation



### Make-up of value-based services:

- > Dedicated paediatric team with developed team processes/ systems
- > Interdisciplinary paediatric TEAM
- Paediatric Technology
- Family Centered Care
- Life Care Planning: ongoing care

Karen K. Yoshida, Hazel M., Rebecca M. Renwick, Laura L. Forma, Audrey J. King, and Leslie A. A value-based practice model of rehabilitation: consumers' recommendations in action. Disability & Rehabilitation. <a href="http://informahealthcare.com/dre">http://informahealthcare.com/dre</a>

### Habilitation



#### Transitions based on different developmental stages of the CHILD

Transition through developmental stages:


- > 0-2 years Infancy
- > 3-5 years Early Childhood
- ➤ 6-12 years Childhood /Pre-Adolescence
- > 13-17 years Adolescence
- > 18+ years Young adulthood

'Children's brains, however, are fundamentally different at different stages of development. It is hard to know how capacities that have not yet emerged will be affected...'

https://www.brainline.org/article/brainstars


### A Triangular View: Development vs Diagnosis





### **Family Centred Care**





The Phoenix Theory of Attendance, Participation and Engagement.

Michelle Phoenix, Susan M Jack, Peter L Rosenbaum & Cheryl Missiuna (2019): A Grounded theory of parents' attendance, participation and engagement in children's developmental rehabilitation services: Part 2. The journey to child health and happiness. Disability and Rehabilitation, DOI: 10.1080/09638288.2018.1555618

# ...family or not family?



...that is the question!

### **Medical Specialist**

➤ Once a month to once in 6 months...

### **Therapist**

➢ Hours per week / physical contact with child − builds trust /witness the good, bad and ugly days

Michelle Phoenix, Susan M Jack, Peter L Rosenbaum & Cheryl Missiuna (2019): A Grounded theory of parents' attendance, participation and engagement in children's developmental rehabilitation services: Part 2. The journey to child health and happiness. Disability and Rehabilitation, DOI: 10.1080/09638288.2018.1555618

### WHY?



### **Early Intervention Therapy: the AIM**

- ➤ Promote child health and well-being
- Enhance emerging competencies
- Minimizing developmental delays
- > Remediate existing / emerging disabilities
- > Prevent functional deterioration
- Promote adaptive parenting and overall family function

Fitzmaurice E, Richmond JE. An Investigation of Service Providers' understanding, perspectives and implementations of the Transdisciplinary model in Early Intervention settings for Children with Disabilities. The Internet Journal of Allied Health Sciences and Practice. 2017 Jan 01;15(2), Article 5.

# Teamwork: Frames of Care in Paediatric Therapy Practice



Model Type	Interaction Type
Multi-disciplinary	Independent
	Coordinated
	Value contributions of others
Inter-disciplinary	Work together
	Develop Programs
	Role definition is more relaxed
Trans-disciplinary	Working across disciplines
	Role Release
	Assumes responsibility

Fitzmaurice E, Richmond JE. An Investigation of Service Providers' understanding, perspectives and implementations of the Transdisciplinary model in Early Intervention settings for Children with Disabilities. The Internet Journal of Allied Health Sciences and Practice. 2017 Jan 01;15(2), Article 5.

# Teamwork: EI-SMART Clinical Reasoning Model



- Early Intervention:
  - > Sensori-motor development
  - > Attention and Regulation
  - > Relationships
  - >Therapist Support

Betty Hutchon, Deanna Gibbs, Philip Harniess, Sally Jary, Siew-Lian Crossley, Jane V Moffat, Neela Basu, Anna P Bassu. Early intervention programmes for infants at high risk of atypical neurodevelopmental outcomes. Developmental Medicine and Child Neurology (2019). DOI: 10.1111/dmcn14187

# Teamwork: EI-SMART Clinical Reasoning Model



- > Environmental enrichment
- > Responsive parenting: attention/ regulation/ relationships
- **Communication**: maternal sensitivity to infant behavioural cues
- > Sensory development
- ➤ Motor learning: active scaffolding

Betty Hutchon, Deanna Gibbs, Philip Harniess, Sally Jary, Siew-Lian Crossley, Jane V Moffat, Neela Basu, Anna P Bassu. Early intervention programmes for infants at high risk of atypical neurodevelopmental outcomes. Developmental Medicine and Child Neurology (2019). DOI: 10.1111/dmcn14187

### **EI-SMART** clinicians...



The Expert: the PARENT

>Knows child better than us

The Facilitator: the CLINICIAN/ TEAM

Expert on the child's condition

The Teacher: the CHILD

The neurological capacities of the child

➤ Determines the SPEED of intervention

### **Outcome Measures**





### **Outcome Measures**



....NOT documents or assessment tool on the *developmental* status of a child


#### HOWEVER

...it is suitable for <u>periodically tracking the progress</u> of children towards independence in personal care, mobility and psychosocial competence

Kenneth J. Ottenbacher, PhD, Michael E. Msall, MD, Nancy Lyon, RN, PNP, Linda C. Duffy, PhD, Jenny Ziviani, PhD, Carl V. Granger, MD, Susan Braun, MLS, OTR, Roger C. Feidler, PhD. The WeeFIM Instrument: Its Utility in Detecting Change in Children With Developmental Disabilities Arch Physical and Medical Rehabilitation Vol 81, October 2000

# wee-FIM: Outcome Measure as Triage of Care





Kenneth J. Ottenbacher, PhD, Michael E. Msall, MD, Nancy Lyon, RN, PNP, Linda C. Duffy, PhD, Jenny Ziviani, PhD, Carl V. Granger, MD, Susan Braun, MLS, OTR, Roger C. Feidler, PhD. The WeeFIM Instrument: Its Utility in Detecting Change in Children With Developmental Disabilities Arch Physical and Medical Rehabilitation Vol 81, October 2000

# **INTENSIVE Therapy**

- >Therapy Boot Camp ©
- Combination of therapy disciplines
- Combination of therapy approaches

Hipe



A pilot study on high dosage intervention of children with CP using combined therapy approaches Russell, D.C. PhD OT. Scholtz C., M OT. Greyling, P. BSc PT. Taljaard, M., B OT. Viljoen, E., B OT. Vrey, C., B OT. MBA. A pilot study on high dosage intervention of children with CP using combined therapy approaches. (2018). South African Journal of Occupational Therapy Aug, vol. 48 no. 2: 26-33. http://dx.doi.org/10.17159/2310-3833/2017/vol48n2a5





### **Life Care Planning**

**EQUIPMENT AND ASSISTIVE DEVICES...** 

# What we see as therapists...





### Grief





### Grief




# 'There is no such thing as a bad question, or a question asked too often.'

Debbie Askin – Nurse Practitioner

Melanie Pellecchia, Rinad S. Beidas, David S. Mandell, Carolyn C. Cannuscio, Carl J. Dunst5 and Aubyn C. Stahmer. Parent empowerment and coaching in early intervention: study protocol for a feasibility study. Penn Center for Mental Health, Department of Psychiatry, University of Pennsylvania Perelman School of Medicine.








...grief is dynamic


### Parents: New Dreams





### Parents: New Dreams








Fig 1. Conceptual model of intervention mechanisms of change.

Douglas Barnett, PhD; Melissa Clements, PhD; Melissa Kaplan-Estrin, PhD; Janice Fialka, MSW, ACSW. Building New Dreams Supporting Parents' Adaptation to Their Child With Special Needs. Infants and Young Children Vol. 16, No. 3, pp. 184–200 c 2003 Lippincott Williams & Wilkins, Inc.

### Parents: Empowerment and Agency

'People may think you are a 'fussy' parent.

You go ahead, you have every right.

I tell my mothers to be like a lioness protecting her cubs.'

Antony Kaiser – Consultant Neonatologist









# ...mixed feelings







- > Implication of being the parent being a therapist to their child
- > Pressure and guilt
- >The "ultimatum" and the meaning of disability
- > Self-presentation
- **Assessment**
- > Family routine



This is not an argument against early intervention, but a caution that people who work with vulnerable families must be vigilant in encouraging families to remain parents first and not to allow therapy to get in the way of living and enjoyment.



her child had Down syndrome. I believe that it was also a highly inaccurate response. I would hope that professionals would be courageous enough to stress to parents the unknown future of any child. While there may be a place for optimism and information about the resources available to support a child's

### Final words...



### Dr. Lynne McKinlay on teams:

'...clinicians work in a complex system'

'planning and execution of the system'

'the individual skills of practitioners working within the service.'

Felicity L. Brown, PhD, Dr., Koa Whittingham, PhD, Roslyn N. Boyd, PhD, Lynne McKinlay, MBBS, FRACP, FAFRM, Kate Sofronoff, PhD. Does Stepping Stones Triple P plus Acceptance and Commitment Therapy improve parent, couple, and family adjustment following paediatric acquired brain injury? A randomised controlled trial PII: S0005-7967(15)30008-5

### Final words...



### **Perspectives: HOPE vs REALITY**

...whose job is what?

### The power of the word

...the doctor said DEFINITELY

...the doctor said DEFINITELY NOT

### Conclusion:



...our clinical work
is a balancing act
of searching for a
healthy homeostasis



### Thank You

#### **References:**

https://www.brainline.org/professionals/research-updateshttps. 2023. WETA https:?/www.brainline.org/article/brainstars.

Karen K. Yoshida, Hazel M., Rebecca M. Renwick, Laura L. Forma, Audrey J. King, and Leslie A. A value-based practice model of rehabilitation: consumers' recommendations in action. Disability & Rehabilitation. <a href="https://informahealthcare.com/dre">http://informahealthcare.com/dre</a>

Michelle Phoenix, Susan M Jack, Peter L Rosenbaum & Cheryl Missiuna (2019): A Grounded theory of parents' attendance, participation and engagement in children's developmental rehabilitation services: Part 2. The journey to child health and happiness. Disability and Rehabilitation, DOI: 10.1080/09638288.2018.1555618

Gloria Huei-Jong Graf, MPH; Pietro Biroli, PhD; Daniel W. Belsky, PhD. Critical Periods in Child Development and the Transition to Adulthood. JAMA Network Open. 2021;4(1):e2033359. doi:10.1001/jamanetworkopen.2020.33359

Kenneth J. Ottenbacher, PhD, Michael E. Msall, MD, Nancy Lyon, RN, PNP, Linda C. Duffy, PhD, Jenny Ziviani, PhD, Carl V. Granger, MD, Susan Braun, MLS, OTR, Roger C. Feidler, PhD. The WeeFIM Instrument: Its Utility in Detecting Change in Children With Developmental Disabilities Arch Physical and Medical Rehabilitation Vol 81, October 2000

Fitzmaurice E, Richmond JE. An Investigation of Service Providers' understanding, perspectives and implementations of the Transdisciplinary model in Early Intervention settings for Children with Disabilities. The Internet Journal of Allied Health Sciences and Practice. 2017 Jan 01;15(2), Article 5.

Felicity L. Brown, PhD, Dr., Koa Whittingham, PhD, Roslyn N. Boyd, PhD, Lynne McKinlay, MBBS, FRACP, FAFRM, Kate Sofronoff, PhD. Does Stepping Stones Triple P plus Acceptance and Commitment Therapy improve parent, couple, and family adjustment following paediatric acquired brain injury? A randomised controlled trial PII: S0005-7967(15)30008-5 DOI: 10.1016/j.brat.2015.07.001

Betty Hutchon, Deanna Gibbs, Philip Harniess, Sally Jary, Siew-Lian Crossley, Jane V Moffat, Neela Basu, Anna P Bassu. Early intervention programmes for infants at high risk of atypical neurodevelopmental outcomes. Developmental Medicine and Child Neurology (2019). DOI: 10.1111/dmcn14187

https://iaim.net/. MBI Network. (2023). 15/11/2023.

A pilot study on high dosage intervention of children with CP using combined therapy approaches Russell, D.C. PhD OT. Scholtz C., M OT. Greyling, P. BSc PT. Taljaard, M., B OT. Viljoen, E., B OT. Vrey, C., B OT. MBA. A pilot study on high dosage intervention of children with CP using combined therapy approaches. (2018). South African Journal of Occupational Therapy Aug, vol. 48 no. 2: 26-33. http://dx.doi.org/10.17159/2310-3833/2017/vol48n2a5



